



GCSE CHEMISTRY 8462/1F

Paper 1 Foundation Tier

Mark scheme

June 2021

Version: 1.0 Final Mark Scheme



2 1 6 G 8 4 6 2 / 1 F / M S

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Copyright information

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Copyright © 2021 AQA and its licensors. All rights reserved.

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do **not** accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question 1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	non-metallic element		1	AO3 4.1.1.1 4.1.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.2	compound		1	AO1 4.1.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.3	noble gases		1	AO1 4.1.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.4	the boiling points increase down the group		1	AO1 4.1.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.5	atoms		1	AO1 4.1.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.6	XO ₂		1	AO2 4.2.1.3

Question 1 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	$(2.8)^2 \times 6$ $= 47.04$ $= 47 \text{ (nm}^2\text{)}$	allow an answer correct to 2 significant figures resulting from an incorrect attempt at the calculation	1	AO2 4.2.4.1
			1	
			1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.8	the surface area to volume ratio of the fine particle is 10 times greater		1	AO1 4.2.4.1

Total			10	
--------------	--	--	-----------	--

Question 2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	(zinc-carbon) cheap(est)	allow do not have to be thrown away	1	AO3 4.5.2.1
	(alkaline) long(est) lasting		1	
	(nickel-metal hydride) rechargeable		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.2	any one from: <ul style="list-style-type: none"> • (metal / alkaline waste) can be toxic / harmful / corrosive • (metal / alkaline waste) could cause pollution in landfill sites • recycling would save resources 	allow (batteries) can ignite / explode ignore dangerous	1	AO3 4.5.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.3	copper and iron		1	AO2 4.5.2.1

Question 2 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.4	any one from: <ul style="list-style-type: none"> • temperature (of electrolyte / solution) • concentration (of electrolyte / solution) 	ignore type of electrode / electrolyte allow size / mass / length of electrode allow surface area of electrode allow distance between electrodes allow volume of solution / electrolyte	1	AO3 4.5.2.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.5	hydrogen	allow H ₂	1	AO2 4.5.2.2
	oxygen	allow O ₂	1	

Total			8	
--------------	--	--	----------	--

Question 3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	2,8,8,1		1	AO2 4.1.1.7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.2	they have the same number of outer shell electrons		1	AO1 4.1.2.1 4.1.2.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.3	metallic		1	AO1 4.2.1.5 1-3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.4	any two from: <ul style="list-style-type: none"> bubbles (very) quickly melts (into a ball) floats moves (very) quickly 	allow flame	2	AO1 4.1.2.5 4.4.1.2



Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	(reactivity) increases (down the group)		1	AO1 4.1.2.5

Question 3 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.6	any two from: <ul style="list-style-type: none">• increasing speed of movement• increasing rate of bubble production• doesn't melt → melts• no flame → flame or flame → explosion		2	AO3 4.1.2.5 4.4.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.7	hydrogen		1	AO1 4.1.2.5 4.4.1.2

Question 3 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.8	sodium ion structure 2,8 fluoride ion structure 2,8 + charge on sodium ion and – charge on fluoride ion	allow any combination of circles, dots, crosses or e ⁽⁻⁾	1 1 1	AO2 4.2.1.2
	an answer of <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>sodium ion</p> </div> <div style="text-align: center;">  <p>fluoride ion</p> </div> </div> <p>scores 3 marks</p>			
Total			12	

Question 4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	$\frac{54 + 50 + 55}{3}$ = 53 (°C)	if no other mark awarded allow 1 mark for $\frac{54 + 50 + 37 + 55}{4} = 49 \text{ (}^\circ\text{C)}$	1	AO3
			1	AO2 4.4.1.2 4.5.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	(most reactive) magnesium zinc (least reactive) cobalt	allow ecf from question 04.1	1	AO3 4.4.1.2 4.5.1.1 RPA4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.3	(18 ±) 2 (°C)		1	AO2 4.3.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	control		1	AO1 4.4.1.2 4.5.1.1 RPA4

Question 4 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.5	use the same mass of metal / powder		1	AO3 4.4.1.2 4.5.1.1 RPA4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.6	(A) progress of reaction		1	AO1 4.5.1.2
	(B) activation energy		1	
	(C) products		1	

Total			9	
--------------	--	--	----------	--

Question 5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	H ⁺		1	AO1 4.4.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.2	neutralisation		1	AO1 4.4.2.2 4.4.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.3	$\text{H}_2\text{SO}_4 + 2\text{KOH} \rightarrow \text{K}_2\text{SO}_4 + 2\text{H}_2\text{O}$	allow multiples	1	AO2 4.1.1.1 4.4.2.2 4.4.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	14		1	AO1 4.4.2.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.5	pipette		1	AO3 4.4.2.5 RPA2

Question 5 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.6	add potassium hydroxide (solution) to the (conical) flask		1	AO1 4.4.2.5 RPA2
	add (a few drops of) indicator		1	
	add the (sulfuric) acid (from the burette)		1	
	until the colour (of the indicator) changes		1	
	read the volume from the burette		1	
Total			10	

Question 6

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.1	48 (cm ³)		1	AO2 4.4.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.2	(change in y =) 70 (cm ³)	allow correct use of incorrectly derived values for change in y and / or change in x	1	AO2 4.4.2.2
	(change in x =) 0.4 (g)		1	
	(gradient =) $\frac{70}{0.4}$		1	
	= 175 (cm ³ /g)		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.3	hydrochloric acid		1	AO2 4.4.2.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	carbon dioxide		1	AO1 4.4.2.2

Question 6 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	to evaporate water		1	AO1 4.4.2.3 RPA1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.6	using a (boiling) water bath or using an electric heater		1	AO1 4.4.2.3 RPA1

Total			9	
--------------	--	--	----------	--

Question 7

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	by filtration		1	AO3 4.1.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.2	10 minutes per 2 cm on x-axis	allow 5 minutes per 1 cm on x-axis	1	AO2 4.4.3.4
	all points plotted correctly	allow a tolerance of $\pm \frac{1}{2}$ a small square allow 1 mark for 3 or 4 points plotted correctly	2	
	line of best fit	allow line of best fit drawn using incorrect plots	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.3	0.14 (g)	allow ecf from question 07.2 allow a tolerance of $\pm \frac{1}{2}$ a small square	1	AO2 4.4.3.4

Question 7 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.4	(copper sulfate solution) pink / orange / red / brown solid	allow copper plating allow metal for solid	1	AO2 4.4.1.2 4.4.3.4 RPA3
	(sodium chloride solution) bubbles / effervescence / fizzing	if no other mark awarded allow 1 mark for copper and hydrogen	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.5	toxic / poisonous (fumes)	allow harmful / corrosive (fumes) ignore dangerous / deadly / lethal	1	AO3 4.4.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.									
07.6	<table border="1"> <thead> <tr> <th>Molten compound electrolysed</th> <th>Product at the negative electrode</th> <th>Product at the positive electrode</th> </tr> </thead> <tbody> <tr> <td>(zinc chloride)</td> <td>zinc (1)</td> <td>chlorine (1)</td> </tr> <tr> <td>potassium iodide</td> <td>(potassium)</td> <td>(iodine)</td> </tr> </tbody> </table>	Molten compound electrolysed	Product at the negative electrode	Product at the positive electrode	(zinc chloride)	zinc (1)	chlorine (1)	potassium iodide	(potassium)	(iodine)		2	AO2 4.4.3.2
	Molten compound electrolysed	Product at the negative electrode	Product at the positive electrode										
	(zinc chloride)	zinc (1)	chlorine (1)										
potassium iodide	(potassium)	(iodine)											
		1											
allow 1 mark if zinc and chlorine the wrong way round													

Total			12
--------------	--	--	-----------

Question 8

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.1	spherical	allow ball-shaped ignore round / circular	1	AO1 4.2.3.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.2	any one from: <ul style="list-style-type: none"> • drug delivery (round the body) • hydrogen storage • anti-oxidants • reduction of bacterial growth • catalysts • (cylindrical fullerenes for) strengthening materials • (spherical fullerenes for) lubricants 		1	AO1 4.2.3.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.3	$ \begin{array}{ccccccc} & & \text{H} & & & \text{H} & \\ & & & & & & \\ \text{H} & - & \text{C} & - & \text{C} & - & \text{C} & - & \text{H} \\ & & & & & & & \\ & & \text{H} & & \text{O} & & \text{H} & \end{array} $		1	AO2 4.2.1.4

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.4	C ₃ H ₆ O	allow CH ₃ COCH ₃ allow elements in any order	1	AO2 4.2.1.4

Question 8 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
08.5	the intermolecular forces are weak		1	AO1 4.2.2.1 4.2.2.4

Question	Answers	Mark	AO / Spec. Ref
08.6	Level 3: Relevant points (reasons/causes) are identified, given in detail and logically linked to form a clear account.	5–6	AO1 4.2.2.6 4.2.3.2
	Level 2: Relevant points (reasons/causes) are identified, and there are attempts at logical linking. The resulting account is not fully clear.	3–4	
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	
	No relevant content	0	
	Indicative content <ul style="list-style-type: none"> • bonds are covalent • giant / macromolecular structure • three (covalent) bonds per carbon atom or only three electrons per carbon atom used in (covalent) bonds • so one electron per carbon atom (is delocalised) • these delocalised electrons • can move through the structure • carrying (electrical) charge • so graphite conducts electricity • layered structure • of (interlocking) hexagonal rings • with weak (intermolecular) forces between layers or no (covalent) bonds between layers • so the layers can slide over each other • so graphite is soft and slippery 		

Total			11
--------------	--	--	-----------

Question 9

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.1	(atoms with the) same number of protons	allow atoms with the same atomic number allow atoms of the same element	1	AO1 4.1.1.4 4.1.1.5
	(but with) different numbers of neutrons	ignore the same number of electrons ignore (but with) different mass numbers do not accept (but with) different relative atomic mass	1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.2	$(A_r =) \frac{(69 \times 60) + (71 \times 40)}{100}$		1	AO2 4.1.1.6
	= 69.8		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.3	(number of electrons) = 31		1	AO2 4.1.1.4
	(number of neutrons) = 38		1	4.1.1.5

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.4	Ga^{3+}		1	AO3 4.2.1.2

Question 9 continued

Question	Answers	Extra information	Mark	AO / Spec. Ref.
09.5	(gallium) fitted in a gap (Mendeleev had left)		1	AO2 4.1.2.2
	(gallium's) properties were predicted correctly (by Mendeleev)	allow (gallium's) properties matched the rest of the group	1	
Total			9	

Question 10

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.1	$(3 \times M_r \text{H}_2\text{O} = 3 \times (2 + 16) =) 54$	ignore units	1	AO2
	$(A_r \text{R} = 150 - 54 =) 96$		1	4.3.1.1 4.3.1.2
	alternative approach: $(M_r \text{RO}_3 = 150 - 6 =) 144 (1)$	ignore units		
	$(A_r \text{R} = 144 - (3 \times 16) =) 96 (1)$			

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.2	(R =) molybdenum / Mo	allow ecf from question 10.1	1	AO3 4.1.1.1

Question	Answers	Extra information	Mark	AO / Spec. Ref.
10.3	(total M_r of reactants) = 163		1	AO2
	(% atom economy =) $\frac{119}{163} (\times 100)$		1	4.3.1.2 4.3.3.2
	= 73 (%)		1	

Question 10 continued

Question	Answers	Mark	AO/ Spec. Ref
10.4	Level 2: Some logically linked reasons are given. There may also be a simple judgement.	3–4	AO3 4.4.1.3
	Level 1: Relevant points are made. They are not logically linked.	1–2	
	No relevant content	0	
	Indicative content <ul style="list-style-type: none"> • carbon and iron are the cheapest reactants • hydrogen is the most expensive reactant • separating solid products is expensive • separating solid products is time consuming • in method 1, tungsten needs to be separated from tungsten carbide • in method 1, some tungsten is lost as tungsten carbide • in method 1, the carbon dioxide produced will escape • in method 2, the water vapour produced will escape • in method 2, no separation of solids is needed • in method 3, tungsten needs to be separated from iron oxide 		
Total			10